



60⁺ YEARS
OF INNOVATION

Australian Owned



Authorized Distributor:



Tel: +971 4 880 1252

Email: inquiries@gulfminetech.com

W: www.gulfminetech.com

Product Guide



Company Introduction

Established in 1964, Dy-Mark is a leading force in the manufacturing and distribution of top-quality, specialised marking paints and coatings. For more than 60 years, we have been a trusted name in consumable products, known for our innovation, reliability and commitment to quality.

Our growing product range includes aerosol and bulk marking paints, inks and dyes, industrial markers, stencilling products, metal protection, decorative and protective coatings, cleaners and lubricants, and industrial packaging products.

We take pride in building strong relationships with our internal teams, customers, and industry partners—locally and across our global network. We exceed expectations by combining expert industry and product knowledge with unparalleled service.

With strategically located distribution centres across Australia and internationally, we ensure efficient delivery and responsive customer support



Mission

To support our customers in delivering successful and sustainable outcomes by providing high quality, solution based consumable products.



Vision

To supply high quality consumable products to help build, maintain and support industries worldwide.



Values

Commitment to sustainability.
Operate with integrity - people before profits.
Respect in the way we do business.
Encourage innovation and dynamic thinking.

Distributor Locations



Contents Page

Marking Products 5

Aerosol Paints	6
Bulk Paint	18
Inks & Dyes	19
Stencilling	24
Markers & Crayons	26
Tools & Accessories	34

Metal Protection & Floor Coatings 38

Application Guide	39
Metal Protection	40
Floor Coatings	48
Tools & Accessories	49

Maintenance 50

Aerosol Cleaners & Lubricants	52
Cleaning Solvents	59

Industrial Packaging 60

Tape	61
Strapping	62
Wrapping	65

AutoTech Australia 66

Floor Coatings	68
----------------------	----

Personal Insect Repellent 70

Personal Protection	71
---------------------------	----



Marking Products



Aerosol Paints

- Spray & Mark6
- Spray & Mark Water-Based8
- Spray Ink9
- Steadfast Stock Mark10
- Spray Writer11
- Line Marking Paint12
- Line Marking Professional13
- Turf Master14
- Landscape Chalk15
- Mine Marking16
- Mine Marking Non-Flammable17



Bulk Paint

- Line Marking Paint Solvent-Based18
- Line Marking Paint Water-Based18



Inks & Dyes

- Industrial Refillable Ink P20019
- Stencil Roller Ink Rio20019
- Timber Brander Ink R60019
- Stress Grading Ink WB80020
- Engineers Layout Ink (LOS)20
- Ink DOD MEK K5020
- Ballmarker Refill Ink T40021
- Ballmarker Refill Ink PB8021
- Flawchek System22
- Rock Coding Ink23
- Spray Marker Dye23



Stencilling

- Car Park Stencil Kit24
- Zinc Stencil Sets25
- Brass Interlocking Stencils25

Markers & Crayons

- Industrial Marker D1026
- D10 Marker Tips26
- Industrial Refillable Ballmarker26
- Ink Marker i7027
- Ink Marker i9027
- Ink Marker iFine27
- Paint Marker P1028
- Paint Marker P2028
- Artline® Markers29
- Ideal Marker29
- Leviathan® Industrial Crayons30
- Leviathan® Lumber Crayons30
- Mark-Tex Texpen®31
- Engineering Chalk31
- Markal® Paintstik® B32
- Markal® Paintstik® B-L32
- Markal® Paintstik® M32
- Markers & Crayons Reference Guide33



Tools & Accessories

- 2-Wheel Spot Marking Handle34
- Long Arm Handle34
- Survey/Flagging Tape35
- Survey/Flagging Pins35
- Line Master36
- Mine Marking Handle37





Spray & Mark



Marking Out Paint


350g | Qty 12

Industry/Sector: General Construction, Civil Construction, Plumbing, Electrical, Landscaping








Features & Benefits

- Premium marking out paint
- Toluene-free formula
- Designed for inverted use
- High opacity, high quality, true colour pigment loading
- Bright colour range for highly visible marks
- Applications include: construction, landscaping, civil works and surveying
- Unique spray pattern specifically designed for spot marking as well as "writing" applications
- Suitable for use with the Dy-Mark Long Arm Handle and 2-Wheel Spot Marking Handle (see page 34)
- Spray & Mark Holsters also available to provide easy access to your marking paint

Spray & Mark (Inverted Spray)

	Spray & Mark Black	40013501
	Spray & Mark Red	40013502
	Spray & Mark Blue	40013503
	Spray & Mark Green	40013504
	Spray & Mark Yellow	40013505
	Spray & Mark Orange	40013506
	Spray & Mark Cream	40013509
	Spray & Mark White	40013511
	Spray & Mark Grey	40013513
	Spray & Mark Violet	40013558

Spray & Mark (Fluoro) (Inverted Spray)

	Spray & Mark Fluoro Red	40013522
	Spray & Mark Fluoro Blue	40013523
	Spray & Mark Fluoro Green	40013524
	Spray & Mark Fluoro Yellow	40013525
	Spray & Mark Fluoro Orange	40013526
	Spray & Mark Fluoro Violet	40013528
	Spray & Mark Fluoro Pink	40013529



Suitable Surfaces

Concrete, bitumen, rock, steel, timber and general broken ground



Coverage

Will produce 200+ 'X' marks, up to 120 linear metres (depending on surface and colour used)



Inverted Spray (Trigger Cap)



Drying Time

5 minutes at 25°C




Ideal Application Temperature

Between 5°C and 40°C

SPRAY & MARK

Compatible With:

Spray & Mark Holster

 Spray & Mark Holster 22010165



Compatible With:

Spray & Mark aerosols can be used with the Long Arm Handle and the 2-Wheel Spot Marking Handle.



Long Arm Handle


2-Wheel Spot Marking Handle



See page 34 for more information.

2-Wheel Spot Marking Handle

 2-Wheel Spot Marking Handle 40090110

 Long Arm Handle 40080105

C White Communications	D Green Stormwater/ Raw Water	E Orange Electricity
F Red Fire Service	G Yellow Gas	R Purple Recycled Water
U Pink Unidentified Services	W Blue Water (Potable)	SW Cream Sewer/ Waste Water
	ITS Black Intelligent Transport Systems	

Source: Standards Australia. Classification of Subsurface Utility Information (SUI) AS 5488.1:2022



Aerosol Paints

Spray & Mark Water-Based



Marking Out Paint

350g | Qty 12




Industry/Sector: General Construction, Civil Construction, Plumbing, Electrical, Landscaping




Features & Benefits

- Low odour, lower toxicity
- Bright colour range for highly visible marks
- Toluene and Xylene free formula
- Suitable for use with the Dy-Mark Long Arm Handle and 2-Wheel Spot Marking Handle
- 360° valve for any angle application

Spray & Mark Water-Based (Upright/Inverted Spray)

	Spray & Mark W-B Blue	40063503
	Spray & Mark W-B Yellow	40063505
	Spray & Mark W-B White	40063511

Spray & Mark Water-Based (Fluoro) (Upright/Inverted Spray)

	Spray & Mark W-B Fluoro Pink	40063529
---	------------------------------	----------



Suitable Surfaces

Concrete, bitumen, steel, timber, polystyrene foam and grass



Coverage

Will produce 200+ 'X' marks, up to 120 linear metres (depending on surface and colour used)



Upright/Inverted Spray (Trigger Cap)



Drying Time

5 minutes at 25°C




Ideal Application Temperature

Between 5°C and 40°C

Compatible With:



Spray & Mark Holster

	Spray & Mark Holster	22010165
---	----------------------	----------



Spray & Mark aerosols can be used with the Long Arm Handle and the 2-Wheel Spot Marking Handle.

2-Wheel Spot Marking Handle

	2-Wheel Spot Marking Handle	40090110
	Long Arm Handle	40080105

See page 34 for more information.

Long Arm Handle

2-Wheel Spot Marking Handle

Spray Ink

Spray Ink (Horizontal Spray)

	Spray Ink Black	39013501
	Spray Ink Red	39013502
	Spray Ink Blue	39013503
	Spray Ink Green	39013504
	Spray Ink Yellow	39013505
	Spray Ink Orange	39013506
	Spray Ink White	39013511
	Spray Ink Covers Over Tan	39013514

Compatible With:

Spray Ink can be used with our Zinc Stencil and Brass Interlocking Stencil sets.



Zinc Stencils



Brass Interlocking Stencils

See page 25 for more information.



Stencil Paint

315g | Qty 12

Industry/Sector: Pallet and Case, Steel, Timber, Agriculture, Pre-Cast Concrete

Features & Benefits

- Specially formulated for stencil applications
- Toluene-free formula
- Unique formulation minimises build-up when used on stencils
- Fast drying and fade resistant paint

To obtain an even coat of paint, sweep the can horizontally past the object as you spray. Don't point and shoot, as this will cause an uneven build up of paint on the object. Always apply light coats rather than one heavy coat in order to achieve a uniform finish.

Product Tip



Horizontal Spray



Suitable Surfaces
All surfaces



Drying Time
10 minutes at 25°C



Coverage
Approximately 3 sqm per aerosol can (depending on the surface and colour used)



Ideal Application Temperature
Between 10°C and 40°C



Aerosol Paints



Steadfast Stock Mark

325g | Qty 12





Industry/Sector: Agriculture

Features & Benefits

- Long lasting marker
- Ideal for identifying stock by colour coding
- Fully scorable



Steadfast Stock Mark (Horizontal Spray)

	Steadfast Stock Mark Red	32SB1702
	Steadfast Stock Mark Blue	32SB1703
	Steadfast Stock Mark Green	32SB1704
	Steadfast Stock Mark Violet	32SB1708



Horizontal Spray



Suitable Surfaces
Wool




Drying Time
10 minutes at 25°C



Coverage
Will produce 300-400 marks per aerosol can



Ideal Application Temperature
Between 10°C and 40°C



Spray Writer

Spray Writer (Horizontal Spray)

	Spray Writer Black	37023501
	Spray Writer Red	37023502
	Spray Writer Blue	37023503
	Spray Writer Green	37023504
	Spray Writer Yellow	37023505
	Spray Writer Orange	37023506
	Spray Writer Violet	37023508
	Spray Writer White	37023511

Spray Writer (Fluoro) (Horizontal Spray)

	Fluoro Red	37023522
	Fluoro Blue	37023523
	Fluoro Green	37023524
	Fluoro Yellow	37023525
	Fluoro Orange	37023526
	Fluoro Pink	37023529



Forestry & Plantation Marking Paint

350g | Qty 12

Industry/Sector: Timber, Forestry

Features & Benefits

- Reduced toxicity marking paint with low odour
- Toluene-free formula
- Ideal for all natural and cut timber applications
- Will mark wet surfaces without cracking and peeling
- Unique formulation reduces spray drift allowing maximum accuracy of spray pattern
- Ideal for the forestry and timber processing industries
- 360° valve for any angle application



Horizontal Spray



Suitable Surfaces

Natural and cut timber, concrete, masonry, bitumen



Drying Time

10 minutes at 25°C



Coverage

Approximately 2 sqm per aerosol can (depending on surface and colour used)



Ideal Application Temperature

Between 10°C and 40°C



Aerosol Paints

Line Marking Paint



Durable Line Marking Paint

500g | Qty 12

Industry/Sector: Warehousing, Sporting, Road Marking, Commercial

Features & Benefits

- A fast drying toluene-free formula acrylic paint
- Ideal for marking out car parks, factories, warehouses, sporting fields and courts
- Specially formulated to provide long lasting lines
- Designed for use with the Dy-Mark Line Master (see page 36)



Suitable Surfaces

Concrete, bitumen, grass, soil, timber



Coverage

80-100 metres of line per aerosol can (depending on line width)



Inverted Spray



Drying Time






10 minutes at 25°C.





Ideal Application Temperature

Between 10°C and 40°C

Line Marking Paint (Inverted Spray)

	Line Marking Matt Black	41015001
	Line Marking Red	41015002
	Line Marking Blue	41015003
	Line Marking Green	41015004
	Line Marking Yellow	41015005
	Line Marking Orange	41015006
	Line Marking White	41015011
	Line Marking Dark Grey	41015014

Line & Hand Marking Paint (Inverted Spray)

	Line & Hand Marking White	41035011
	Line & Hand Marking Yellow	41035035

Compatible With:





Dy-Mark Line Marking aerosol paints can be used with the Dy-Mark Actuator to enable hand spraying from a vertical position.

Actuator Line/Hand

	Actuator Line/Hand	50010111
---	--------------------	----------

Line Marking Professional

Line Marking Professional (Inverted Spray)

	Line Marking Professional Yellow	41025005
	Line Marking Professional White	41025011


Compatible With:

Use Line Marking Paint, Line Marking Professional and Turf Master Paint with the Dy-Mark Line Master for precise and clear lines.

See page 36 for more information.



Line Master

	Line Master Line Marking Machine	41800203
--	----------------------------------	----------



Premium Line Marking Paint

500g | Qty 12

Industry/Sector: Warehousing, Sporting, Road Marking, Commercial

Features & Benefits

- Fast drying, epoxy based formula
- Added UV stabiliser
- High wear resistance
- Excellent adhesion
- Crisp sharp lines
- Designed for use with the Dy-Mark Line Master (see page 36)

* Lasts up to 3X longer than standard acrylic based line marking paints



Inverted Spray



Suitable Surfaces

Concrete, bitumen, timber



Drying Time

Touch dry 15-20 minutes (25°C)
Recoat within approx 1 hour.
Hard dry in 4 hours.
Vehicular traffic in 16-24 hours



Coverage

80 – 100 metres of line per aerosol can (depending on line width)



Ideal Application Temperature

Between 10°C and 40°C

Aerosol Paints



Turf Master



Temporary Grass Marking Paint

500g | Qty 12

Industry/Sector: Turf, Sporting

Features & Benefits

- Ideal for landscaping and sporting grounds
- Quick dry, toluene-free formula
- Low toxicity formula does not damage grass
- Designed for use with the Dy-Mark Line Master (see page 36)



Suitable Surfaces
Grass



Inverted Spray



Drying Time
10 minutes at 25°C.



Coverage
80-100 metres of line per aerosol can (depending on line width)



Ideal Application Temperature
Between 10°C and 40°C

Turf Master (Inverted Spray)

Turf Master White 41125011

Compatible With:



Dy-Mark Line Marking aerosol paints can be used with the Dy-Mark Actuator to enable hand spraying from a vertical position.



Actuator Line/Hand

Actuator Line/Hand White 50010111

Compatible With:

Use Line Marking Paint, Line Marking Professional and Turf Master Paint with the Dy-Mark Line Master for precise and clear lines.

See page 36 for more information.





Line Master

Line Master Line Marking Machine 41800203

Landscape Chalk

Landscape Chalk (Inverted Spray)

	Landscape Chalk Yellow	23183505
	Landscape Chalk White	23183511



Landscape Chalk aerosols can be used with the Long Arm Handle and the 2-Wheel Spot Marking Handle.

Compatible With:



See page 34 for more information.

2-Wheel Spot Marking Handle

	2-Wheel Spot Marking Handle	40090110
	Long Arm Handle	40080105



Temporary Marking Chalk

350g | Qty 12

Industry/Sector: Landscape, Commercial, Warehousing, Sporting

Features & Benefits

- Ideal for surveying sites, golf courses, excavation and construction sites
- Fast-dry formula lasting up to 30 days
- Suitable for use with the Dy-Mark Long Arm Handle and 2-Wheel Spot Marking Handle (see page 34)



Inverted Spray (Trigger Cap)



Suitable Surfaces

Concrete, bitumen, rock, grass and general broken ground



Drying Time

10 minutes at 25°C




Coverage

Will produce 200+ 'X' marks, up to 120 linear metres (depending on surface and colour used)



Ideal Application Temperature

Between 5°C and 40°C



Aerosol Paints



Mine Marking




Marking Out Paint

350g | Qty 12

Industry/Sector: Mining, Civil Construction

Features & Benefits

- Specially formulated for above/below ground areas
- High opacity, high quality, true colour pigment loading
- 360° valve for any angle application
- Applications include marking out ore zones in grading control, pit walls and survey grid layouts
- Highly visible marks on dark surfaces
- Two nozzle options available for vertical spray (upright/inverted) or horizontal spray application
- Carton includes 12x horizontal spray actuators to easily swap spray directions
- Vertical spray is suitable for use with the Dy-Mark Mine Marking Handle (5m extension) (see page 37)



Suitable Surfaces
Rock, dirt, gravel



Drying Time
3 minutes at 25°C



Coverage
Will produce 200+ 'X' marks, up to 120 linear metres (depending on surface and colour used)



Ideal Application Temperature
Between -10°C and 40°C

Mine Marking (Horizontal Spray)

	Mine Marking Horz Black	38013501
	Mine Marking Horz Red	38013502
	Mine Marking Horz Blue	38013503
	Mine Marking Horz Green	38013504
	Mine Marking Horz Yellow	38013505
	Mine Marking Horz Orange	38013506
	Mine Marking Horz White	38013511

Mine Marking (Fluoro)(Horizontal Spray)

	Mine Marking Horz Fluoro Red	38013522
	Mine Marking Horz Fluoro Blue	38013523
	Mine Marking Horz Fluoro Green	38013524
	Mine Marking Horz Fluoro Yellow	38013525
	Mine Marking Horz Fluoro Orange	38013526
	Mine Marking Horz Fluoro Pink	38013529

Mine Marking (Vertical Spray - Upright/Inverted)

	Mine Marking Vert Black	38033501
	Mine Marking Vert Red	38033502
	Mine Marking Vert Blue	38033503
	Mine Marking Vert Green	38033504
	Mine Marking Vert Yellow	38033505
	Mine Marking Vert Orange	38033506
	Mine Marking Vert White	38033511




Mine Marking (Fluoro) (Vertical Spray - Upright/Inverted)

	Mine Marking Vert Fluoro Red	38033522
	Mine Marking Vert Fluoro Blue	38033523
	Mine Marking Vert Fluoro Green	38033524
	Mine Marking Vert Fluoro Yellow	38033525
	Mine Marking Vert Fluoro Orange	38033526
	Mine Marking Vert Fluoro Pink	38033529

Mine Marking Non-Flammable (Horizontal Spray)

	Mine Marking NF Horz Red	38023502
	Mine Marking NF Horz Yellow	38023505
	Mine Marking NF Horz Orange	38023506
	Mine Marking NF Horz White	38023511

Mine Marking Non-Flammable (Fluoro) (Horizontal Spray)

	Mine Marking NF Horz Fluoro Red	38023522
	Mine Marking NF Horz Fluoro Orange	38023526
	Mine Marking NF Horz Fluoro Pink	38023529

Mine Marking Non-Flammable (Vertical Spray - Upright/Inverted)

	Mine Marking NF Vert Red	38043502
	Mine Marking NF Vert Yellow	38043505
	Mine Marking NF Vert Orange	38043506
	Mine Marking NF Vert White	38043511

Mine Marking Non-Flammable (Fluoro) (Vertical Spray - Upright/Inverted)

	Mine Marking NF Vert Fluoro Red	38043522
	Mine Marking NF Vert Fluoro Orange	38043526
	Mine Marking NF Vert Fluoro Pink	38043529

Compatible With:



Use Mine Marking aerosols with the Dy-Mark Mine Marking Handle to mark underground mine ceilings. Extends up to 5m.

Note: For use with Upright/Inverted spray nozzle only (trigger cap).

See page 37 for more information.

Mine Marking Non-Flammable




Marking Out Paint

400g | Qty 12

Industry/Sector: Mining, Civil Construction

Features & Benefits

- Non-Flammable layout marker
- Formulated for use in underground mines and other fire sensitive situations
- 360° valve for any angle application
- Bright, highly visible marks on dark surfaces
- Two nozzle options available for vertical spray (upright/inverted) or horizontal spray application
- Carton includes 12x horizontal spray actuators to easily swap spray directions
- Vertical spray is suitable for use with Dy-Mark Mine Marking Handle (5m extension) (see page 37)



Suitable Surfaces
Rock, dirt, gravel



Drying Time
5 minutes at 25°C



Coverage
Will produce 200+ 'X' marks, up to 120 linear metres (depending on surface and colour used)



Ideal Application Temperature
Between -10°C and 40°C



Aerosol Paints



Line Marking Paint Solvent-Based

4L, 20L



Line Marking Paint – Solvent-Based

	Line Marking Black	4L	41010401
	Line Marking Red	4L	41010402
	Line Marking Disable Blue	4L	41010403
	Line Marking Green	4L	41010404
	Line Marking Yellow	4L	41010405
	Line Marking White	4L	41010411
	Line Marking Black	20L	41012001
	Line Marking Red	20L	41012002
	Line Marking Disable Blue	20L	41012003
	Line Marking Green	20L	41012004
	Line Marking Yellow	20L	41012005
	Line Marking White	20L	41012011
	Line Marking Grey	20L	41012013

Field Marking Paint

	Field Marking Paint White	15L	41011611
--	---------------------------	-----	----------

Industry/Sector: Commercial, Factories, Road Marking, Warehousing

Features & Benefits

- A fast drying chlorinated rubber modified-alkyd paint designed for application over asphalt, tar-sealed and concrete surfaces
- Specially formulated to provide long lasting lines
- Ideal for marking out car parks, factories, warehouses, sporting fields and courts



Suitable Surfaces

Asphalt, concrete and tar-sealed surfaces



Drying Time

Touch dry in 5 minutes at 25°C. Recoat after 2 hours at 25°C.



Coverage

2.5 sqm per litre



Ideal Application Temperature

Between 10°C and 40°C

Line Marking Paint Water-Based

15L



Industry/Sector:

Commercial, Factories, Road Marking, Warehousing

Features & Benefits

- A fast drying water-based environmentally friendly acrylic paint
- Specially formulated to provide long lasting lines
- Low VOC formula

Line Marking Paint – Water-Based

	Line Marking W-B Black	15L	41011501
	Line Marking W-B Red	15L	41011502
	Line Marking W-B Yellow	15L	41011505
	Line Marking W-B White	15L	41011511

Line Marking Accessories

	Reflective Glass Beads	20kg	41822500
--	------------------------	------	----------



Suitable Surfaces

Concrete, bitumen



Drying Time

Touch dry in 5 minutes at 25°C. Recoat after 2 hours at 25°C.



Coverage

2.5 sqm per litre



Ideal Application Temperature

Between 10°C and 40°C

Bulk Paint

Industrial Refillable Ink P200

1L




Industry/Sector: Agriculture, Manufacturing

Features & Benefits

- Permanent ink
- Ideal for use on porous and non-porous surfaces
- For refillable marking pens

Industrial Refillable Ink P200

 P200 Ink Black 1L 10120101

Stencil Roller Ink Rio200

1L




Industry/Sector: Manufacturing

Features & Benefits

- Ideal for use when stencilling on both porous and non-porous surfaces
- Highly durable with excellent light fastness

Stencil Roller Ink RIO200

 RIO200 Black 1L 13020101



Compatible With:

Use with the Dy-Mark Roller Pad 350.

 Roller Pad 350 180x100mm 13500012

Timber Brander Ink R600

1L





Industry/Sector: Timber, Pallet and Case

Features & Benefits

- Dye-based, general purpose ink designed for marking porous surfaces such as timber and cardboard
- UV resistant

Timber Brander Ink R600

 R600 Black 1L 13060101



Inks & Dyes



Stress Grading Ink WB800

10L, 20L



Industry/Sector: Timber

Features & Benefits

- Used for coding stress-graded timber
- Fade resistant formula
- Suitable for use with automatic stress-grading machines and green chain branders

Stress Grading Ink WB800

WB800 Black	10L	14081001
WB800 Red	10L	14081002
WB800 Green	10L	14081004
WB800 Black	20L	14082001
WB800 Red	20L	14082002
WB800 Green	20L	14082004
WB800 Violet	20L	14082008

Engineers Layout Ink (LOS)

1L



Industry/Sector: Sheet Metal

Features & Benefits

- Ideal for marking on hard surfaces such as metal and glass
- The ideal product for tool and die makers, machinists, pattern makers, sheet metal workers and maintenance mechanics

Engineers Layout Ink

Engineers Layout Ink Red	1L	24010102
Engineers Layout Ink Blue	1L	24010103

Ink DOD MEK K50


1L



Industry/Sector: Ink Jet Coating

Features & Benefits

- For use in ink jet applications

 Ink DOD MEK K50 Black 1L 20500101

Compatible With:



Solvent MEK

Solvent MEK Blended	1L	31200100
Solvent MEK Cleaning	1L	20500101

Ballmarker Refill Ink T400

1L, 20L



Industry/Sector:

Steel, Timber, Tyre

Features & Benefits

- T400 Ink will mark on any surface, penetrating grease, oil and rust
- Opaque, waterproof and fade resistant ink
- Extremely durable in all environmental conditions

Ballmarker Refill Ink T400

	T400 Black	1L	11010101
	T400 Red	1L	11010102
	T400 Blue	1L	11010103
	T400 Yellow	1L	11010105
	T400 White	1L	11010111
	T400 Black	20L	11012001
	T400 White	20L	11012011

Ballmarker Refill Ink PB80

1L




Industry/Sector:

Steel

Features & Benefits

- Specially formulated to be removable by the pickling process (ensuring no bleed through during the galvanising process)
- Opaque, waterproof and fade resistant ink

Ballmarker Refill Ink PB80

	PB80 White	1L	11800111
---	------------	----	----------



Inks & Dyes

Flawchek System

Recommended Directions For Use:

Four-part visible "Crack Detection" inspection process



The Flawchek system is a method of non-destructive testing which will detect flaws on metal surfaces

Step 1 – Preclean (Grey)

It is essential to ensure that the part/area to be tested is clean, dry and free from all surfaces contamination (e.g. grease, oil, rust and paint). Surface contaminants can cover a flaw, inhibiting the entrance of the dye. Spray the area to be inspected and wipe thoroughly with cloth. Allow clean surface to dry.

Step 2 – Penetrant (Red)

Spray Penetrant Dye over the area that is to be inspected. Allow penetrant to dwell for 10 minutes. Dwell time should be extended in extremely cold conditions.

Step 3 – Remover (Blue)

Allow excess Penetrant to drain. Wipe over inspected surface with a dry cloth. Then spray Remover on another cloth and wipe surface to remove excess Penetrant. Allow surface to dry before using Developer.

Step 4 – Developer (White)

Spray a light coat of the Developer over the area to be inspected, avoiding a heavy film. Leave Developer to dry and inspect parts for flaws after 2 – 3 minutes. If very fine flaws are suspected, the parts should be re-inspected after 20 minutes.

Note: These recommendations are based on tests conducted in normal conditions. Actual conditions of use are beyond Dy-Mark's control and recommendations are made without warranty.

Industry/Sector: Metal, Boilermaking, Workshops, Engineering


Features & Benefits

- Dye penetration visible inspection system that detects cracks and flaws in metals and castings
- 4-step system – Preclean, Penetrant, Remover and Developer
- Fast, efficient and cost effective method
- Conforms to AS2062 TYPE 2 METHOD C

Flawchek "Crack Detection" System

	Flawchek Step 1 Preclean	270g	19013501
	Flawchek Step 2 Penetrant	350g	19013502
	Flawchek Step 3 Remover	350g	19013503
	Flawchek Step 4 Developer	350g	19013504

Flawchek "Crack Detection" System Kit

	Flawchek 4-part Inspection Kit	Box	19013599
---	--------------------------------	-----	----------

Rock Coding Ink

20L, 1000L











Industry/Sector: Mining

Features & Benefits

- Low VOC
- Water-based formula that provides "bright" highly visible marks
- Non-permanent marks that will last up to 1 week outdoors
- Ideal for identifying different grades of metal ore content prior to blasting
- Suitable for use in knapsack sprayers and with the airless spray method

Rock Coding Ink

	Rock Coding Ink Red	20L	32402002
	Rock Coding Ink Blue	20L	32402003
	Rock Coding Ink Green	20L	32402004
	Rock Coding Ink Violet	20L	32402008
	Rock Coding Ink White	20L	32402011
	Rock Coding Ink Red	1000L	32410002
	Rock Coding Ink Blue	1000L	32410003
	Rock Coding Ink Green	1000L	32410004
	Rock Coding Ink White	1000L	32410011

Rock Coding Ink (Fluoro)

	Rock Coding Ink Fluoro Blue	20L	32402023
	Rock Coding Ink Fluoro Yellow	20L	32402025
	Rock Coding Ink Fluoro Orange	20L	32402026
	Rock Coding Ink Fluoro Pink	20L	32402029
	Rock Coding Ink Fluoro Pink	1000L	32410029

Spray Marker Dye

500ml, 1L, 5L, 20L







Industry/Sector: Agriculture

Features & Benefits

- Premium, highly visible dye
- Stains target crops and plants allowing easy identification of sprayed areas
- Designed to be mixed with other chemical spray solutions (herbicides and pesticides)
- Prevents over-spraying and minimises the wastage of costly chemicals
- Colour fades in 3 to 5 days in sunlight and can be used in hand or knapsack sprayers, high volume sprayers or boom sprays

Spray Marker Dye

	Spray Marker Dye Red	500ml	18005002
	Spray Marker Dye Red	1L	18000102
	Spray Marker Dye Red	5L	18000502
	Spray Marker Dye Red	20L	18002002



Inks & Dyes




Car Park Stencil Kit

Industry/Sector:

Warehousing, Commercial

Features & Benefits

- Ideal for marking out applications in service areas, car parks, hospitals, warehouses, shopping centres and recreation areas
- Long-lasting and reusable stencils in heavy duty polypropylene material
- Apply stencil using Line Marking Paint and Line Master removable handle or by rolling or spraying (See pages 12 & 36)
- 11 piece kit



Car Park Stencil Kit

Poly Car Park Stencil Kit 13320003

Compatible With:



Dy-Mark Car Park Stencil Kit can be applied with a Line Master removable handle or by rolling or spraying.

Use with Line Marking Paint.

(See pages 12 & 36)

Zinc Stencil Sets



Industry/Sector: Manufacturing, Identification

Features & Benefits

- Easy to clean and re-usable solvent resistant zinc material
- Available in A-Z and 0-9

Zinc Stencil Sets (A-Z)

Zinc Stencil A-Z 50mm	13810150
Zinc Stencil A-Z 75mm	13810175
Zinc Stencil A-Z 100mm	13811100
Zinc Stencil A-Z 150mm	13811150
Zinc Stencil A-Z 175mm	13811175

Zinc Stencil Sets (0-9)

Zinc Stencil 0-9 50mm	13800150
Zinc Stencil 0-9 75mm	13800175
Zinc Stencil 0-9 100mm	13801100
Zinc Stencil 0-9 150mm	13801150
Zinc Stencil 0-9 175mm	13801175



Dimensions refer to the painted character height.

Brass Interlocking Stencils



Industry/Sector: Manufacturing, Identification

Features & Benefits

- Convenient, heavy-duty interlocking stencils
- Ideal for jobs where wording changes frequently
- Available in A-Z and 0-9

Brass Interlocking Stencil Sets (A-Z)

Interlocking Stencil A-Z 25mm	13711025
Interlocking Stencil A-Z 50mm	13711050
Interlocking Stencil A-Z 75mm	13711075
Interlocking Stencil A-Z 100mm	13711100
Interlocking Stencil A-Z 125mm	13711125
Interlocking Stencil A-Z 150mm	13711150

Brass Interlocking Stencil Sets (0-9)

Interlocking Stencil 0-9 25mm	13700025
Interlocking Stencil 0-9 50mm	13700050
Interlocking Stencil 0-9 75mm	13700075
Interlocking Stencil 0-9 100mm	13701100
Interlocking Stencil 0-9 125mm	13701125
Interlocking Stencil 0-9 150mm	13701150



Dimensions refer to the painted character height.



Stencilling




Industrial Marker D10


Reversible Tip

Qty 12



 **Pen Dimensions**
135mm x 16mm

 **Mark Width**
Chisel Tip – 4mm
Bullet Tip – 2mm

 **Contents**
13cc permanent, smear resistant ink




Industry/Sector:

Warehousing, Commercial, Stationary, Workshop

Features & Benefits

- Permanent ink marker suitable for surfaces that need an indelible mark
- Fast dry, smear-resistant ink
- Ideal for mining, manufacturing and metal fabrication industries


 D10 Black 12081001

D10 Marker Tips

Reversible Tip

Qty 12




 **Mark Width**
Chisel Tip – 5mm
Bullet Tip – 2mm

Industry/Sector:

Warehousing, Commercial, Stationary, Workshop

Features & Benefits

- Replacement tips suitable for use with D10 Ink Marker
- Reversible bullet/chisel tip
- Length - 25mm
- Chisel Tip – 5mm (long edge), Chisel Tip – 1mm (short edge)
- Bullet Tip – 2mm

 D10 Marker Tips 12101004

Industrial Refillable Ballmarker



Industry/Sector:

Steel, Timber, Tyre

Features & Benefits

- Permanent and fade resistant marks on surfaces including steel, timber and rubber
- Ink feed controlled by a flexible “squeeze flow” plastic bottle
- Hardened tips ensure economical ink usage
- Bottle (supplied empty) and tip sold separately
- Use with the Dy-Mark T400 or PB80 Ballmarker Refill Ink (See page 21)

Industrial Refillable Ballmarker

	Ballmarker 4mm Tip	11040412
	Ballmarker 6mm Tip	11040610
	Ballmarker Bottle	11090100

Ink Marker i70

Permanent Ink
Qty 12



 **Pen Dimensions**
149.5mm

 **Mark Width**
Medium Tip
0.8mm – 1.8mm



 **Contents**
Quick drying,
xylene-free ink

Industry/Sector:

Warehousing, Commercial,
Stationary

Features & Benefits

- Acrylic bullet tip with medium point
- Quick drying
- Waterproof marks


	i70 Black	12131201
	i70 Blue	12131203




Ink Marker i90

Permanent Ink
Qty 12



 **Pen Dimensions**
149.5mm

 **Mark Width**
Chisel Tip
0.5mm – 4.6mm


 **Contents**
Quick drying,
xylene-free ink

Industry/Sector:

Warehousing, Commercial,
Stationary

Features & Benefits

- Acrylic chisel tip
- Quick drying
- Waterproof marks

	i90 Black	12141201
---	-----------	----------




Ink Marker iFine

Permanent Ink
Qty 10



 **Pen Dimensions**
137.3mm

 **Mark Width**
Fine/Medium Tip
0.5mm – 1.8mm


 **Contents**
Quick drying,
xylene-free ink

Industry/Sector:

Warehousing, Commercial,
Stationary

Features & Benefits

- Marks on most difficult surfaces
- Quick drying, permanent and hard wearing on most surfaces
- Fade and water resistant

	iFine Black	12151001
---	-------------	----------



Markers & Crayons



Paint Marker P10

Reversible Bullet/Chisel Tip

Qty 12

Industry/Sector: Engineering, Construction, Solar, Pipeline, Workshop

Features & Benefits

- High performance paint marker
- Bold, easy to read marks
- Xylene-free, fast dry formula



Pen Dimensions
142mm x 14mm



Mark Width
Bullet Tip 2mm
Chisel Tip 4mm



Contents
10cc fast-drying,
Xylene-free paint



Heavy Duty Reversible Tip



	P10 Black	12071001
	P10 Red	12071002
	P10 Yellow	12071005
	P10 White	12071011

Paint Marker P20

Reversible Bullet/Chisel Tip

Qty 12

Industry/Sector: Engineering, Construction, Solar, Pipeline, Workshop

Features & Benefits

- High performance paint marker
- Bold, easy to read marks
- Xylene-free, fast dry formula



Pen Dimensions
135mm x 16mm



Mark Width
Bullet Tip 3mm
Chisel Tip 5mm










Contents
13cc fast-drying,
Xylene-free paint



Airtight Cap With Pocket Clip



	P20 Black	12072001
	P20 Red	12072002
	P20 Blue	12072003
	P20 Green	12072004
	P20 Yellow	12072005
	P20 Pink	12072009
	P20 White	12072011

Artline® Markers

70, 100 & 400XF

Qty 6, 12



Industry/Sector:

Warehousing,
Commercial,
Stationary

Features & Benefits

- Artline® 70 – Permanent marker with bullet nib
- Artline® 100 – Permanent marker with large chisel nib
- Artline® 400XF – Xylene-free permanent paint marker with medium bullet nib

Artline® Marker 70

Qty

70 Black	12	12017001
----------	----	----------

Artline® Marker 100

Qty

100 Black	6	12011001
-----------	---	----------

Artline® Marker 400XF

Qty

400XF White	12	12014011
-------------	----	----------

Ideal Marker

Qty 12



Industry/Sector: Warehousing, Engineering,
Workshop

Features & Benefits

- Valve-action marker, with dye-based permanent ink
- Fitted with heavy duty bullet shaped replaceable tip

Ideal Marker

Ideal Marker Black	30121201
--------------------	----------

Ideal Marker Replacement Tips

Ideal Marker Tips	30161200
-------------------	----------



Markers & Crayons



Leviathan® Industrial Crayons

Qty 12



Industry/Sector: Timber, Construction

Features & Benefits

- Wax crayons suitable for marking all surfaces
- Provides sensor recognisable marks, making them ideal for use with automatic saws and dockers

Leviathan® Industrial Crayons

	Leviathan® Industrial Black	12345601
	Leviathan® Industrial Red	12345602
	Leviathan® Industrial Yellow	12345605
	Leviathan® Industrial White	12345611
	Leviathan® Industrial FI/Red	12345622
	Leviathan® Industrial FI/Orange	12345626

Leviathan® Lumber Crayons

Qty 12



Industry/Sector: Timber, Construction

Features & Benefits

- Ideal for marking cartons, timber and tyres
- Economical use
- Suitable for civil works, engineering and construction applications

Leviathan® No.3 Lumber Crayons

	Leviathan® No.3 Lumber Crayon Black	12020301
	Leviathan® No.3 Lumber Crayon Red	12020302
	Leviathan® No.3 Lumber Crayon Blue	12020303
	Leviathan® No.3 Lumber Crayon Green	12020304
	Leviathan® No.3 Lumber Crayon Yellow	12020305
	Leviathan® No.3 Lumber Crayon White	12020311
	Leviathan® No.3 Lumber Crayon FI/Orange	12020326

Mark-Tex Texpen®

Qty 12



Industry/Sector: Steel, Timber, Tyre

Features & Benefits

- Fine line ball point marker (3mm) with valve pump action
- Suitable for marking all surfaces

Mark-Tex Texpen®

Mark-Tex Texpen® White 12760111

Engineering Chalk

Qty 50, 100



Industry/Sector: Engineering

Features & Benefits

- Ideal for industrial grade applications
- Economical and semi-permanent marking
- Quick and easy to layout jobs

Engineering Chalk

Qty

<input type="checkbox"/> Engineering Chalk White 80x10x10	50	12051111
<input type="checkbox"/> Engineering Chalk White 80x10x5	100	12051112



Markers & Crayons



Markal® Paintstik® B

Qty 12









Industry/Sector:
Fabrication, Identification

Features & Benefits

- Weather and UV-resistant
- Ideal for layout, colour coding, fabrication and identification
- Marking range: -46°C to 66°C

Markal® Paintstik® B

	Markal® Paintstik® B Black	34011201
	Markal® Paintstik® B Red	34011202
	Markal® Paintstik® B Blue	34011203
	Markal® Paintstik® B Yellow	34011205
	Markal® Paintstik® B Orange	34011206
	Markal® Paintstik® B White	34011211

Markal® Paintstik® B-L

Qty 12



Industry/Sector:
Fabrication, Identification

Features & Benefits

- Designed for fabricating structural steel or layout work where the marks are required to bleed through a primer coat covering the marks
- Marking range: -46°C to 66°C

Markal® Paintstik® B-L

	Markal® Paintstik® B-L Blue	34061203
---	-----------------------------	----------

Markal® Paintstik® M

Qty 12



Industry/Sector:
Fabrication, Identification

Features & Benefits

- Long-lasting, weather and fade resistant
- Ideal for marking hot coils, billets, slabs, bars, ingots
- Marking range: -17°C to 871°C
- Mark tip size: 17mm

Markal® Paintstik® M

	Markal® Paintstik® M White	34041211
	Markal® Paintstik® M Red	34041202

Markers & Crayons Reference Guide

		Features & Benefits										Surfaces									
		Refillable	Replacement Nibs	Permanent	Liquid Paint (Permanent)	Solid Paint	Ink	Xylene Free	Removed in galvanising process	Hot surface marking											
												Metal	Wood	Damp Wood	Glass & Ceramics	Plastics	Rubber	Concrete & Stone	Paper	Cardboard	Waxed Paper / Cardboard
Specialty	Mark-Tex Texpen®				•						•	•		•	•	•		•	•	•	
	Ballmarker T400	•	•							•				•	•	•		•	•	•	
	Ballmarker PB80	•	•							•				•	•	•		•	•	•	
Markal®	B Paintstik®					•								•	•	•		•	•	•	
	B-L Paintstik®					•								•	•	•		•	•		
	M Paintstik®					•				•											
Dy-Mark® Industrial Markers	Ink Marker i70			•		•	•				•	•		•	•	•		•	•	•	
	Ink Marker i90			•		•	•				•	•		•	•	•		•	•	•	
	Ink Marker iFine			•		•	•				•	•		•	•	•		•	•	•	
	Dy-Mark D10		•	•		•					•	•		•	•	•		•	•	•	
	Dy-Mark P20		•		•			•	•		•	•		•	•	•		•	•	•	
	Dy-Mark P10				•			•	•		•	•		•	•	•		•	•	•	



2-Wheel Spot Marking Handle

Industry/Sector: General Construction, Civil Construction, Plumbing, Electrical, Landscaping

Features & Benefits

- Ideal for trench digging and landscaping applications
- Lightweight aluminium construction improves efficiency and makes application less fatiguing
- Suitable for use with Spray & Mark and Landscape Chalk aerosols (see pages 6, 8 & 15)

2-Wheel Spot Marking Handle

2-Wheel Spot Marking Handle 40090110



Long Arm Handle


Industry/Sector: General Construction, Civil Construction, Plumbing, Electrical, Landscaping

Features & Benefits

- Gives you that extra reach when you need it and assists in preventing back strain
- Lightweight aluminium construction improves efficiency and makes application less fatiguing
- Suitable for use with Spray & Mark and Landscape Chalk aerosols (see pages 6, 8 & 15)

Long Arm Handle

Long Arm Handle 40080105



How To Use Marking Handles:

Step 1

Insert aerosol can into can holder as shown in the orientation below.



Step 2

Continue to insert the aerosol can into the can holder until it slides over the spring bracket & you hear a clicking sound.




Step 3

Rotate the aerosol can and/or the trigger actuator to ensure the trigger cap is aligned with the trigger actuator.



Step 4

Pull trigger to spray.



Survey/Flagging Tape

Qty 10




Industry/Sector: Mining, Construction, Surveying






Features & Benefits

- Brightly coloured flags ideal for marking buried cable, underground wires, etc.
- Suitable for mining, construction, surveying, civil works and other applications
- Hand tearable, high quality durable tape

Survey/Flagging Tape

	Tape 25x100 Red	47760102
	Tape 25x100 Blue	47760103
	Tape 25x100 Green	47760104
	Tape 25x100 Yellow	47760105
	Tape 25x100 Orange	47760106
	Tape 25x100 White	47760111


Survey/Flagging Tape (Fluoro)

	Tape 25x100 Glo Red	47760122
	Tape 25x100 Glo Blue	47760123
	Tape 25x100 Glo Green	47760124
	Tape 25x100 Glo Yellow	47760125
	Tape 25x100 Glo Orange	47760126
	Tape 25x100 Glo Pink	47760129



Survey/Flagging Pins

Qty 500




Industry/Sector: Mining, Construction, Surveying

Features & Benefits

- Ideal for marking buried cables, underground wire, etc.
- Suitable for mining, construction, surveying, forestry and numerous other applications

Survey/Flagging Pins (Fluoro)

	Flagging Pins Fluoro Pink	47780129
---	---------------------------	----------



Tools & Accessories

Line Master

Line Marking Machine

Features & Benefits

- Easy to transport, ergonomic design with built-in side line attachment
- Heavy duty steel construction includes lightweight, removable handle for marking/stencilling
- Includes utility tray and storage for up to 5 cans of Dy-Mark Line Marking Paint, Line Marking Professional and Turf Master Paint (see pages 12, 13 & 14)
- Line width adjustable between approximately 60mm and 100mm

Watch the video on **YouTube**



Industry/Sector:

Warehousing, Sporting, Road Marking, Commercial

Line Master


Line Master Line Marking Machine	41800203
Line Master Replacement Masking Wheel Set	41800304
Line Master Replacement Handle	41800305

Compatible With:



Dy-Mark Line Master is designed to be used with Line Marking Professional, Line Marking Paint and Turf Master Paint. (See pages 12-14)

Handy Tip:



Mine Marking Handle



Compatible With:

The Dy-Mark Mine Marking Handle has been designed to be used with Mine Marking Paint and Mine Marking Non-Flammable Paint (See pages 16 & 17)

Ideal for extended non-contact marking

Industry/Sector: Mining, Civil Construction

Features & Benefits

- Aluminium handle designed for use with Dy-Mark Mine Marking and Mine Marking Non-Flammable Paint (Vertical format cans only) (see pages 16 & 17)
- Extends up to 5 metres
- Ideal for extended non-contact marking
- Reduces repetitive back strain
- Ideal for marking mine ceilings and top of mine face

Mine Marking


Mine Marking Handle 3-5m Aluminium 38100603



How To Use The Mine Marking Handle:

Step 1

Turn the trigger actuator out of the way so there is clearance for the aerosol can to be inserted.



Step 2

Insert aerosol can into can holder. *Note: Only compatible with cans which have the upright/inverted spray nozzle (Trigger Cap), as shown.*




Step 3

Align the trigger actuator with the cap trigger. In this position, when the pull cord is pulled, the aerosol can will be actuated.



Step 4

Push the red button to enable the handle to be extended to the desired length. Lock into position using one of the preset slots.



Tools & Accessories

Metal Protection & Floor Coatings



Application Guide

Metal Protection

Zinc Guard Silver Bright	40
Zinc Guard Cold Galvanising Coating	41
Zinc Guard Silver Zinc	42
Zinc Guard Black Zinc	42
Zinc Guard Primer	43
Zinc Guard Etch Primer	43
Zinc Guard Rust Converter	44
Research & Development	44
Zinc Guard Epoxy Enamel	45
Zinc Guard Quick Dry Enamel	46
Bondcover Touch Up Paint	47

Floor Coatings

Treadrite	48
-----------------	----

Tools & Accessories

Sealant Remover Tool	49
Sealant Applicator Tool	49



Application Guide

Product	Size	Surface Type & Condition				Finish & Colour
		New Steel	Rusted Steel	Previously Painted Old Surfaces	Galvanised Iron, Stainless Steel, ZINCALUME [®] , Aluminium, Copper & Brass	
Zinc Guard [™] Rust Converter	350g		Convert & Seal			Black
Zinc Guard [™] Cold Galvanising Coating	400g, 500ml, 1L, 4L	Prime & Protect				Matt Grey
Zinc Guard [™] Primers (White and Grey)	350g	Prime	Prime	Prime		Matt White and Grey
Zinc Guard [™] Etch Primer	325g	Prime		Prime	Prime	Matt Grey / Black
Zinc Guard [™] Silver Zinc/Black Zinc	400g	Prime & Top Coat*	Prime & Top Coat*	Prime & Top Coat*	Paint with Top Coat*	Metallic Silver/Satin Black
Zinc Guard [™] Silver Bright	350g	Paint with Top Coat*	Paint with Top Coat*	Paint with Top Coat*	Paint with Top Coat*	Bright Silver
Zinc Guard [™] Epoxy Enamel	325g	Paint with Top Coat*	Paint with Top Coat*	Paint with Top Coat*	Paint with Top Coat*	Refer to colour chart for extensive colour range
Zinc Guard [™] Quick Dry Enamel	325g	Paint with Top Coat*	Paint with Top Coat*	Paint with Top Coat*	Paint with Top Coat*	Refer to colour chart for extensive colour range

Convert & Seal

Converts rust into a tough barrier against further corrosion.

Prime & Protect

Protect surfaces from rust with a zinc rich anti-corrosive primer.

Prime

Use appropriate primer for each specific application to ensure superior protection & adhesion.

Prime & Top Coat

Dual action primer & top coat in a one-step application.

Paint with Top Coat

A range of paints that provide specific top-coating solutions.

*For superior protection and adhesion, use appropriate Primers.



ZINC[™] GUARD

Zinc Guard metal protection range has been specially designed to provide superior coverage and protection on all metal surfaces. This comprehensive range offers a wide selection of industrial grade metal coatings featuring advanced formula to provide a tough barrier against corrosion.



Zinc Guard Silver Bright

350g | Qty 12



Features & Benefits

- Anti-corrosive silver paint designed to match the bright finish of hot dip galvanising
- Provides a tough and durable finish to steel and iron
- Suitable for use as a top coat over Dy-Mark Zinc Guard Cold Galvanising Coating

Zinc Guard™ Silver Bright (Horizontal Spray)

Silver Bright	230732007
---------------	-----------



Suitable Surfaces

Steel, iron & non-ferrous metals with appropriate primer



Ideal Application Temperature

Between 10°C and 35°C



Coverage

Approximately 2 sqm per aerosol can (depending on the surface)



Drying Time

Touch dry in 15–20 minutes. Recoat after 1 hour.



Zinc Guard Cold Galvanising Coating

400g | Qty 12
500mL, 1L, 4L | Qty 1

Zinc Guard Cold Galvanising Coating (Horizontal Spray)

Cold Galvanising Coating	230732006
--------------------------	-----------

Zinc Guard Cold Galvanising Coating (Brush On)

Cold Galvanising Coating	500ml	230731050
Cold Galvanising Coating	1L	230731100
Cold Galvanising Coating	4L	230731400

Handy Tip:

Drying times will be slower in cold and humid conditions, in the absence of ventilation or where heavy film build is applied.



Features & Benefits

- A zinc rich, heavy duty corrosion inhibitive primer
- Suitable for use on steel, wrought iron and galvanised iron
- Contains 91% zinc in dry film

Industry/Sector:

Fabrication, Steel, Engineering, Construction



Suitable Surfaces

Steel, wrought iron & galvanised iron



Ideal Application Temperature

Between 10°C and 35°C




Coverage

Aerosol Spray: Approximately 2 sqm per aerosol can (depending on the surface)
Brush On: Approximately 6-8 sqm per litre



Drying Time

Touch dry in 20 minutes. Recoat after 3-4 hours. Dry to handle (hard dry) in 16-24 hours.



Metal Protection



Zinc Guard Silver Zinc

400g | Qty 12



Ideally used for galvanised surfaces including sheeting products and roofing sheets, clean mild steel and welded areas, neatly prepared primed surfaces, etc.

Features & Benefits

- Fast drying, 2 in 1 primer and top coat
- Provides excellent adhesion and corrosion resistance to metal surfaces

Zinc Guard Silver Zinc (Horizontal Spray)

Silver Zinc	230732008
-------------	-----------



Suitable Surfaces

Steel, wrought iron, galvanised iron & non-ferrous metals such as: aluminium, alloys, stainless steel and ZINCALUME® with appropriate primer



Coverage

Approximately 2 sqm per aerosol can (depending on the surface)



Drying Time

Touch dry in 20 minutes.
Recoat after 1 hour.
Dry to handle (hard dry) in 16-24 hours.



Ideal Application Temperature

Between 10°C and 35°C

Handy Tip:

Metal Protection

Zinc Guard Black Zinc

400g | Qty 12



Features & Benefits

- Fast drying, 2 in 1 primer and top coat
- Provides excellent adhesion and corrosion resistance to metal surfaces

Zinc Guard Black Zinc (Horizontal Spray)

Black Zinc	230732009
------------	-----------



Suitable Surfaces

Steel, wrought iron, galvanised iron & non-ferrous metals such as: aluminium, alloys, stainless steel and ZINCALUME® with appropriate primer



Coverage

Approximately 2 sqm per aerosol can (depending on the surface)



Drying Time

Touch dry in 20 minutes.
Recoat after 1 hour.
Dry to handle (hard dry) in 16-24 hours.



Ideal Application Temperature

Between 10°C and 35°C

Zinc Guard Primer



350g | Qty 12



Features & Benefits

- Fast dry primer designed to provide an ideal base for top coats on steel and iron
- Corrosion barrier
- High opacity

Zinc Guard Primers (Horizontal Spray)

	White Primer	230732003
	Grey Primer	230732004



Suitable Surfaces

Steel & iron



Drying Time

Touch dry in 15–20 minutes.
Recoat after 1 hour.



Coverage

Approximately 2 sqm per aerosol can (depending on the surface)



Ideal Application Temperature

Between 10°C and 35°C

Zinc Guard Etch Primer

325g | Qty 12



Features & Benefits

- Designed to etch and bond to aluminium, galvanised iron, new steel, ZINCALUME®, copper and brass
- Superior adhesion
- Fast dry

Zinc Guard Etch Primer (Horizontal Spray)

	Matt Grey	230732001
	Black	230732000



Suitable Surfaces

Aluminium, galvanised iron, new steel, stainless steel, ZINCALUME®, alloys, copper and brass



Drying Time

Touch dry in 10 minutes.
Recoat after 2 hours.



Coverage

Approximately 2 sqm per aerosol can (depending on the surface)



Ideal Application Temperature

Between 10°C and 35°C



Metal Protection

Zinc Guard Rust Converter

350g | Qty 12



Features & Benefits

- Converts rust into a tough barrier against further corrosion
- Easy to use
- Tannic acid based
- Ideal for use on: rusted gutters, roofs, garden furniture, gates, fencing, trailers, machinery and equipment

Zinc Guard Rust Converter

 Rust Converter 230733501



Coverage

Approximately 2 sqm per aerosol can (depending on the surface)



Drying Time

Touch dry in 20 minutes (25°C).
Recoat within 1 hour.
Full dry in 24 hours.



Ideal Application Temperature

Between 10°C and 30°C



Suitable Surfaces

Rusted steel (ferrous) surfaces. Should only be applied to rusted surfaces. NOT to be used as a rust preventative coating on clean steel. Not recommended for permanent immersion in fresh or salt water.
Note: Rust Converter may not prevent further rusting when applied to heavy rust scale.

Research & Development

Whilst Dy-Mark maintains standards second to none in our traditional markets, it is our Research and Development department that truly is the life blood of our business.

Our team is committed to innovation and development. Our products are conceived through imagination combined with market needs. Quality controlled laboratory development and testing is conducted by a team of chemists dedicated to getting things right "first time, every time". Combine this with expertise in designing contemporary packaging with flair and originality, Dy-Mark is able to bring the finished product to market quickly and efficiently with the commitment that you need to enhance your business.

If you have a particular need for a new product in your field, please contact us at sales@dymark.com.au and we will try to make that idea a reality.



Zinc Guard Epoxy Enamel

325g | Qty 12

Zinc Guard Epoxy Enamel (Horizontal Spray)

	Flat Black	Flat	12	230732101
	Gloss Black	Gloss	12	230732301
	Golden Yellow Y14	Gloss	12	230732305
	Gloss White	Gloss	12	230732311



Features & Benefits

- High build, direct to metal top coat with exceptional gloss levels
- Advanced zinc anti-corrosive formula for industrial use
- Provides a durable, long lasting finish with greater UV resistance
- Suitable for use on all metal surfaces such as: fences, gates, doors, letter boxes, fabricated steel, brackets, trailers, factory equipment and machinery



Suitable Surfaces
All metals



Drying Time
Touch dry in 6 hours.
Recoat after 16 hours.
Hard dry 16–24 hours.




Coverage
Approximately 1.9 sqm per aerosol can (depending on surface and colour used)



Ideal Application Temperature
Between 10°C and 35°C

Colour image examples are indicative only.



Metal Protection

Zinc Guard Quick Dry Enamel

325g | Qty 12



Features & Benefits

- Quick drying top coat (touch dry in 10–15 minutes)
- Protect surfaces against rust whilst providing a durable finish
- Ideal for both interior and exterior projects
- Suitable for use on all metal surfaces such as: fences, gates, doors, letter boxes, fabricated steel, brackets, trailers, factory equipment and machinery

Suitable Surfaces

Pre painted metal surfaces, steel, wrought iron, galvanised iron and non-ferrous metal such as; aluminium, alloys, ZINCALUME® and stainless steel with appropriate primer



Drying Time

Touch dry in 10–15 minutes. Recoat after 1 hour.



Coverage

Approximately 2 sqm per aerosol can (depending on surface and colour used)



Ideal Application Temperature

Between 10°C and 35°C

Zinc Guard Quick Dry Enamel (Horizontal Spray)

Flat Black	Flat	12	230932101
Satin Black	Satin	12	230932201
High Gloss Black	Gloss	12	230932301
Signal Red R13	Gloss	12	230932302
Ocean Blue	Gloss	12	230932303
Brunswick Green	Gloss	12	230932304
Golden Yellow Y14	Gloss	12	230932305
Silver	Gloss	12	230932310
High Gloss White	Gloss	12	230932311



Colour image examples are indicative only.

Bondcover Touch Up Paint

BondCover Touch Up Paint (Horizontal Spray)

Classic Cream™	12533002
Surfmist®	12533003
Woodland Grey®	12533004
Manor Red®	12533005
Deep Ocean®	12533006
Cottage Green®	12533007
Pale Eucalypt®	12533010
Paperbark®	12533012
Basalt®	12533015
Shale Grey™	12533017
Night Sky®	12533018
Ironstone®	12533020
Monument®	12533022
Dover White™	12533023
Southerly®	12533024
Bluegum®	12533025

COLORBOND® and ® colour names are registered trademarks and ™ colour names are trademarks of Bluescope Steel Limited.




300g | Qty 6



Industry/Sector: Plumbing, Roofing

Features & Benefits

- Matches COLORBOND® satin finish
- Maintenance and repair of fences, gutters, fascia and more
- Durable formulation for exterior use
- Quick dry



Suitable Surfaces

Pre painted metal surfaces, bare metal surfaces such as mild steel, galvanised and zinc coated steel and aluminium after application of suitable primer



Drying Time

Touch dry in 15-20 minutes (20°C).



Coverage

Approximately 2 sqm per can (depending on surface and colour used)



Ideal Application Temperature

Between 10°C and 35°C

Colour image examples are indicative only.



Metal Protection



Treadrite

Slip Resistant Coating

1L, 4L & 10L | Qty 1



Industry/Sector: Warehousing, Commercial, Construction

Features & Benefits

- Ideal for interior and exterior untreated timber, concrete, primed metal and brick & clay pavers
- Creates durable slip resistant surfaces
- Resists cracking, peeling and exposure to petrol, oil and mild chemicals
- Easy to apply with uniform coverage
- Industrial applications include stairs, entrances and exit ways
- TreadRite (1L, 4L and 10L) have been tested for compliance with AS 4586:2013, Slip resistance of new pedestrian surface materials (classification P5).

Suitable for use on ramps.

TreadRite

Clear	1L	1	23060100
Black	1L	1	23060101
Yellow	1L	1	23060105
Clear	4L	1	23060400
Black	4L	1	23060401
Yellow	4L	1	23060405
Clear	10L	1	23061000
Black	10L	1	23061001
Yellow	10L	1	23061005



Suitable Surfaces

Untreated timber, concrete, primed metal and brick & clay pavers




Coverage

Yellow – approx. 3–6m²
Clear & Black – approx. 5–10m²



Drying Time

Touch dry 6–8 hours (25°C).
Recoat 24–36 hours
(depending on film thickness).
Walk on in 24–48 hours.



Watch the video on
YouTube



Sealant Remover Tool

Qty 1




Industry/Sector: Plumbing, DIY

Features & Benefits

- Helps the beginner or expert remove any type of caulk/sealant, even if it has been in place for years
- No chemicals or mess
- Re-usable tool

Sealant Remover

 Sealant Remover	18201201
---	----------

Sealant Applicator Tool

Qty 1




Industry/Sector: Plumbing, DIY

Features & Benefits

- A handy, re-usable tool that helps to avoid sealant contamination
- Unique design evens out the distribution of sealant/caulking, forcing it into the gap
- A perfect finish – each time
- Easy to clean
- No mess

Sealant Applicator

 Sealant Applicator	18201202
--	----------



Tools & Accessories

Maintenance



Aerosol Cleaners & Lubricants

Chain Lubricant	52
Dry Graphite Lubricant	52
Multi-Purpose Lubricant	53
Silicone Lubricant	53
Release Spray 601	53
Penetrating Oil	54
Lanolin Lubricant	54
White Lithium Grease	55
Heavy Duty Degreaser	55
Contact Cleaner Flammable	56
Electrical Cleaner	56
Brake & Parts Cleaner	57
Brake & Parts Cleaner (Non-Chlorinated)	57
Air Duster	58
Freeze Spray	58



Cleaning Solvents

Graffiti Remover	59
Isopropyl Alcohol	59




PROLOCK

2 WAY LOCKABLE ACTUATOR



Normal Spray



Hard To Reach Areas



PROTECH[®]

CLEANERS & LUBRICANTS

MAINTAIN OPTIMUM PERFORMANCE

Protech's range of industrial grade cleaners and lubricants have been specially formulated for those requiring high performance results. After extensive product research and development, Dy-Mark has produced a range of cleaner and lubricants designed a range of 15 products world class cleaners and lubricants. Protech lubricants are ideal for everyday industrial equipment such as: pulleys, conveyors, rusted bolts, tools and chains; while Protech's cleaner range makes tough jobs easier and is suitable for engines, brake parts, machinery and electrical equipment. Whatever your needs, you can be sure to achieve and maintain optimum performance with Protech.





Chain Lubricant

300g | Qty 6



Features & Benefits

- Heavy duty multi-purpose chain lubricant
- Resists high speed fling off while providing exceptional anti-wear and anti-corrosion performance even under the most severe operating conditions
- Can work in extreme temperatures of -10°C to +155°C
- Innovative 2 way actuator with locking tab

Chain Lubricant 42033003

Dry Graphite Lubricant

150g | Qty 6



Features & Benefits

- Multi-purpose dry powder lubricant that provides lubrication to surfaces which require unhindered sliding capability
- Finely ground powder for optimum penetration
- Lock lubricant

Dry Graphite Lubricant 42031502

Multi-Purpose Lubricant

400g | Qty 12



Features & Benefits

- A multi-use product that penetrates, lubricates, protects and displaces moisture
- It has hundreds of uses on the job, around the home, garden or garage
- Innovative 2 way actuator with locking tab
- Uses a 360° valve for upright and inverted applications

Multi-Purpose Lubricant 400g 42034002

Silicone Lubricant

350g | Qty 6



Features & Benefits

- A high performance multi-purpose silicone spray that protects, waterproofs and lubricates
- Provides a thin, clear protective film which is non-staining and non-corrosive
- For use on metal, plastic, rubber and wood
- Can work in extreme temperatures of -40°C and +260°C
- Innovative 2 way actuator with locking tab

Silicone Lubricant 42033501

Release Spray 601

300g | Qty 12



Features & Benefits

- Food grade silicone lubricant
- Silicone mould release agent
- Non toxic, odourless, tasteless after evaporation
- Prevents adhesion to surfaces, blade lubricant, mould prep

Silicone Gensil 601 300g 42603501

Aerosol Cleaners & Lubricants



Penetrating Oil

400g | Qty 12



Features & Benefits

- High speed penetrant and lubricant that quickly penetrates rusted and seized metal thread or part
- Has a low viscosity that creeps into cracks, seams, threads and joints, loosening and freeing them instantly
- Helps prevent further corrosion
- Innovative 2 way actuator with locking tab
- Uses a 360° valve for upright and inverted applications

Penetrating Oil 42034001

Lanolin Lubricant

400g | Qty 6



Features & Benefits

- Safe and environmentally friendly product
- Lanolin (wool grease) is a natural substance derived from sheep wool
- Non-toxic, biodegradable, non-evaporative and provides long lasting lubrication and corrosion protection
- Moisture, salt and acid resistant without harming metal thread or part, plastics, paints, fibreglass, rubber or neoprene seals

Lanolin Lubricant 42034005

White Lithium Grease

300g | Qty 6



Features & Benefits

- High performance lithium based grease
- Provides long lasting lubrication for all metal to metal applications
- Excellent water and heat resistance
- Reduces friction whilst protecting against rust and corrosion
- Can work in extreme temperatures of -15°C to +115°C
- Innovative 2 way actuator with locking tab
- Uses a 360° valve for upright and inverted applications

White Lithium Grease 42033001

Heavy Duty Degreaser

400g | Qty 6




Features & Benefits

- Specifically formulated to provide effective and fast removal of tough grease, oil, dirt and grime
- Delivers a concentrated jet which works immediately on contact and is easy to rinse off with water
- Uses a 360° valve for upright and inverted applications

Heavy Duty Degreaser 42034003



Aerosol Cleaners & Lubricants



Contact Cleaner Flammable

350g | Qty 6



Features & Benefits

- A stable, inert, high purity cleaning solvent
- Dries quickly and leaves no residue
- Non-corrosive, non-staining and contains no lubricants
- Excellent for cleaning oil, dirt, flux residue and condensation from precision electronics and electrical equipment
- Innovative 2 way actuator with locking tab

Contact Cleaner – Flammable 42033502

Electrical Cleaner

400g | Qty 6



Features & Benefits

- Non-flammable
- No flash or fire point
- Leaves no residue
- Fast drying
- Uses a 360° valve for upright and inverted applications
- For use on electrical equipment as a degreaser/cleaner

Electrical Cleaner 42034006

Aerosol Cleaners & Lubricants

Brake & Parts Cleaner

500g | Qty 6



Features & Benefits

- Formulated for the rapid and safe removal of brake fluid, grease, oil and other contaminants from brake linings, pads, drums and other metal parts
- Leaves no residue
- Uses a 360° valve for upright and inverted applications

Brake and Parts Cleaner 42035001

Brake & Parts Cleaner (Non-Chlorinated)

350g | Qty 6



Features & Benefits

- Formulated for the rapid and safe removal of brake fluid, grease, oil and other contaminants from brake linings, pads, drums and other metal parts
- Non-staining, leaves no residue and is non-corrosive. This product does not contain carbon tetrachloride, silicones, CFC113 or methyl chloroform
- Uses a 360° valve for upright and inverted applications

Brake & Parts Cleaner (Non-Chlorinated) 42035002



Aerosol Cleaners & Lubricants



Air Duster

235g | Qty 6



Features & Benefits

- A dry, multi-purpose cleaner for the safe removal of dust and lint from all delicate precision equipment
- Has a powerful burst of compressed gas which will remove dirt without any abrasion risk
- Non-corrosive and leaves no residue or condensation
- Ideal for off-site servicing when compressed air is not available

Air Duster 42032301

Freeze Spray

300g | Qty 6



Features & Benefits

- An efficient cooling system that instantly freezes surfaces to -50°C
- Powerful blast of propellant instantly chills suspect electrical and electronic components
- Non-flammable, plastic safe, leaves no residue and is non-abrasive
- Is also ideal for removing chewing gum or sweets from fabrics

Freeze Spray 42033004

Aerosol Cleaners & Lubricants

Graffiti Remover

400ml | Qty 1



Features & Benefits

- Biodegradable citrus-based formula
- Removes most aerosol paints and felt pen graffiti
- Will not cause damage to the original surface
- Also effective in the removal of adhesives and chewing gum

Graffiti Remover Pump Spray 33034000

Isopropyl Alcohol


275 g | Qty 6



Features & Benefits

- High purity cleaning solvent
- Dries quickly and leaves no residue
- Non-corrosive, non-conducting and contains no lubricants
- Excellent for cleaning oil, dirt, dust, fingerprints, flux and polar soils from precision electronics and electrical equipment

Isopropyl Alcohol 42032701



Cleaning Solvents

Industrial Packaging



Tape

Masking Tape	61
Tape Dispenser	61
Silver PVC Sealing & Joining Tape	61
PP31 Vibac Packing Tape	61



Strapping

Polypropylene Hand Strapping	62
Heavy Duty Polypropylene Strapping	62
Polypropylene Strapping Tools	63
Polypropylene Strapping Accessories	63
Steel Strapping	64
Steel Strapping Accessories	64
Steel Strapping Tools	64



Wrapping

Bundling Film & Accessories	65
Hand Stretchwrap & Accessories	65



Masking Tape



Industry/Sector: Warehousing, Manufacturing, Packaging, Commercial

Features & Benefits

- Hand tearable crepe paper suitable for masking or packaging

Masking Tape		Qty	
18mmx50m	Roll	48	47311807
24mmx50m	Roll	36	47312407
48mmx50m	Roll	24	47314807

Silver PVC Sealing & Joining Tape



Industry/Sector: Warehousing, Manufacturing, Packaging, Commercial

Features & Benefits

- Ideal for joining builders' film
- Also suitable for sealing and joining heavy gauge polythene sheets

Silver PVC Sealing & Joining Tape			
Qty			
48x30mx130um	Roll	60	47614810
48x30mx160um	Roll	60	47600110

PP31 Vibac Packing Tape



Industry/Sector: Warehousing, Manufacturing, Packaging, Commercial

Features & Benefits

- Quality tape with natural rubber solvent-based adhesive ideal for despatch or general packaging use
- High breaking strain (30 micron gauge)

PP31 Vibac Packaging Tape		Qty	
48mmx75m Clear	Roll	36	47054800
48mmx75m Brown	Roll	36	47054807



Tape Dispenser

Features & Benefits

- Pistol grip tape dispensers suitable for tapes with thickness up to 50mm



Tape Dispenser

Tape Dispenser Pistol Grip	47800100
----------------------------	----------



Polypropylene Hand Strapping





Industry/Sector: Warehousing, Manufacturing, Packaging

Features & Benefits

- Available in a variety of breaking strains and widths
- Flexible and easy to use, supplied in a convenient dispenser box

Polypropylene Hand Strapping

 12mmx1000m Blue	35011203
 15mmx1000m Blue	35011503

Heavy Duty Polypropylene Strapping




Industry/Sector: Warehousing, Manufacturing, Packaging

Features & Benefits

- 320kg breaking strain
- Flexible and easy to use, supplied in a convenient dispenser box
- Use with Polypropylene Strapping Tools & Accessories

Heavy Duty Polypropylene Strapping

 19mmx1000m Black	35021901
--	----------

Polypropylene Strapping Tools

Crimpers & Tensioners



Poly Tensioner CFH



Poly Crimper

Industry/Sector: Warehousing, Manufacturing, Packaging

Features & Benefits

- Crimpers – designed to crimp metal, snap-on seals
- Tensioners – adjustable width cutting and tensioning tool that will work in any position

Polypropylene Strapping Tools

Poly Crimper 19mm Heavy Duty	35300201
Poly Tensioner CFH 19mm Heavy Duty	35300400

Polypropylene Strapping Accessories

Qty 1000



Plastic Buckles



Metal Buckles



Metal Seals Open

Industry/Sector: Warehousing, Manufacturing, Packaging

Features & Benefits

- Metal Seals Open – designed for use with poly strapping and manual sealing tools
- Plastic Buckles – quick and easy to use with hand tensioned poly strapping
- Metal Buckles – available in 3 widths for extra strength in strapping applications

Metal Strapping Seals for Polypropylene Accessories

Metal Seals Open 19mm Heavy Duty	35210119
----------------------------------	----------

Plastic Strapping Buckles for Polypropylene Accessories

Plastic Buckles 12mm	35021200
Plastic Buckles 15mm	35021500
Metal Buckles 19mm Heavy Duty	35200119



Strapping



Steel Strapping



Industry/Sector: Warehousing, Manufacturing, Packaging

Features & Benefits

- High tensile steel strapping supplied in longer rolls
- Safe to use – rounded edges, easy to handle when used with the steel strap dispenser

Steel Strapping

Steel Strap 12x200m 0.5mm	35250112
Steel Strap 15x208m 0.5mm	35250115
Steel Strap 19x210m 0.5mm	35250119
Steel Strap 19x378m 0.8mm HT	35250419


Zinc Steel Strapping

Zinc Steel Strap 19x210m 0.5mm	35240119
--------------------------------	----------

Steel Strapping Accessories

Industry/Sector:

Warehousing, Manufacturing, Packaging



Features & Benefits

- Snap-On Seals - easy to apply, suitable for use with the steel strap crimper and available in 3 sizes
- Metal Seals - designed for use with steel strapping

Snap-On Seals for Steel Strapping (Accessories)

Snap-On Seals 12mm	35S012
Snap-On Seals 15mm	35S015
Snap-On Seals 19mm	35S019

Strapping Seals for Steel Strapping (Accessories)

Metal Seals 19mm Bright	35213436B
-------------------------	-----------

Steel Strapping Specifications

Description	Breaking Load
Steel Strapping – Regular	530kg
Steel Strapping – Regular	654kg
Steel Strapping – Regular	775kg
Steel Strapping – High Tensile	1551kg
Steel Strapping – High Tensile	2588kg
Steel Strapping – Zinc Coated	824kg

Steel Strapping Tools



Industry/Sector: Warehousing, Manufacturing, Packaging

Features & Benefits

- Quality tools designed for use with Dy-Mark's Steel Strapping
- Heavy duty construction for long lasting use
- Easy to use

Steel Strapping Tools

Steel Strapping Dispenser W.Wheels	3518CR2S
Steel Strapping Crimper 12mm LD	3518C312
Steel Strapping Crimper 15mm LD	3518C315
Steel Strapping Crimper 19mm LD	3518C319
Steel Strapping Crimper 19mm HD	3518SH19
Steel Strapping Cutter 12–19mm	3518CU30
Steel Strapping Tensioner 12–19mm HD	3518FH90
Steel Strapping Tensioner 12–19mm	3518S290

Bundling Film & Accessories



Industry/Sector: Warehousing

Features & Benefits

- Special stretchwrap film that sticks only to itself and not to the goods being wrapped
- Dispenser is a miniature hand-held system for quick and easy wrapping of small or irregular shaped items

Bundling Film	Qty
<input type="checkbox"/> 100mmx300m Clear Roll	20 36200000

Bundling Film Dispenser (Accessories)	Qty
<input checked="" type="checkbox"/> Dispenser	36200001

Hand Stretchwrap & Accessories



Industry/Sector: Warehousing

Features & Benefits

- Black stretch wrap is ideal for concealing the contents of a pallet (detering theft during storage and transport)
- Durable polyethylene stretch film, excellent puncture resistance and useful in stabilising sharp or bulky objects

Hand (Blown Film) Stretchwrap	Qty
<input type="checkbox"/> 500x450mx20um Clear Roll	4 36052000
<input type="checkbox"/> 500x400mx23um Clear Roll	4 36062300
<input checked="" type="checkbox"/> 500x400mx25um Black Roll	4 36062501

Hand (Blown Film) (Accessories)	Qty
<input checked="" type="checkbox"/> Stretchwrap Handle	360HDPW




Wrapping

AutoTech Australia



Floor Coatings

AutoTech Solvent-Based Epoxy Floor Coating Kit	68
AutoTech Decorative Flakes	69





For product hints & tips and how to use, SCAN HERE



SOLVENT-BASED EPOXY FLOOR COATING

To rejuvenate and restore your concrete floor, use Autotech Epoxy Floor Coating Kit for a professional finish



RESISTANT TO HEAVY FOOT & VEHICLE TRAFFIC!



GARAGE

WORKSHOP

SHED

AutoTech Solvent-Based Epoxy Floor Coating Kit


8L | Qty 1




Industry/Sector: Commercial, DIY, Workshops

Features & Benefits

- Resists hot tyre pick-up
- Protects against oil stains, beads water and simply wipes clean
- Seals and protects interior bare concrete floors with an easy one-coat application
- Kit covers up to 40m²



Carbon



Manhattan



Sterling Grey

Colour image examples are indicative only.

AutoTech Epoxy Floor Coating Kit

Carbon	8L	41090802
Manhattan	8L	41090813
Sterling Grey	8L	41090816

Kit Includes:

- Part A - Base
- Part B - Activator
- Concrete Etch
- Decorative Flakes
- Stirrer
- Instruction Manual



Watch the video on
YouTube



AutoTech Decorative Flakes

AutoTech Decorative Flakes

Blue Blend 2pk	450g	41090209
Grey Blend 2pk	450g	41090210

450g | Qty 2




Industry/Sector: Commercial, DIY, Workshops

Features & Benefits

- For use with AutoTech Epoxy Floor Coating Kits
- Features in Sterling Grey and Carbon Kits
- For use on all suitable concrete flooring
- Customise your garage floor colour look
- Bonds seamlessly with the wet film, becoming a permanent part of the coating





Blue Blend



Grey Blend

Colour image examples are indicative only.



Floor Coating

Personal Insect Repellent



Personal Protection

RID® Tropical Antiseptic Bite Protection 71



RiD® Tropical Antiseptic Bite Protection

RiD® Tropical Strength Roll-on	60ml	33418060
RiD® Tropical Strength Roll-on	100ml	33418100
RiD® Tropical Strength Pump	100ml	33438100
RiD® Tropical Strength Aerosol	150g	33428150

60ml Roll-on | Qty 8 100ml Pump | Qty 8
 100ml Roll-on | Qty 8 150g Aerosol | Qty 8



Features & Benefits

- Superior DEET active formulation
- 8 hours protection
- Formulated to effectively repel flies
- Antiseptic Bite Protection repels and protects against infection from existing bites
- Non-greasy, lightly scented
- Aussie Owned and Made since 1956
- Ideal for hikes, beach, gardens, sport, BBQs



Personal Protection



Authorized Distributor:



Tel: +971 4 880 1252
Email: inquiries@gulfminetech.com
W: www.gulfminetech.com

Effective Date: 03/2025

Head Office

Head Office & National Distribution Centre | 30 Bernoulli Street, Darra QLD 4076

Warehouses

Victoria | Unit 3/70 Foundation Road, Truganina VIC 3029

Western Australia | 1/13 Mallaig Way, Canning Vale WA 6155

Northern Territory | 12 Adams Road, Yarrowonga NT 0820

National Sales & Enquiries

Phone | 1300 396 275

Email | sales@dymark.com.au

International Sales & Enquiries

Phone | +61 7 3327 3000

Email | exportsales@dymark.com.au

www.dymark.com.au

